



Safety Data Sheet (SDS)

Read complete SDS prior to using product.

Micro Milling Polymer Modified Un-Sanded Grout

1 - PRODUCT IDENTIFICATION

Product Trade Name: Micro Milling Polymer Modified Un-Sanded Grout

Name, Address, Phone Number of the Manufacturer

Company: MICRO MILLING LIMITED

Claxton Bay P.O. Box 4235, Plaisance Park Industrial Estate,

Pointe-a-Pierre,

Trinidad & Tobago, W.I.
Telephone #: 1(868) 659-4060
Website: www.micromillingtt.com

Recommended Use: Tile Grout used in Installation of tiles and natural stone.

Restrictions on use: The presence of respirable dust requires appropriate training in the proper use and handling of

this product.

2 - HAZARD IDENTIFICATION

Physical Hazards Not Classified

Health Hazards Skin Irritation Category 2

Eye damage/irritation:Category 1Sensitisation, SkinCategory 1CarcinogenicityCategory 1A

Specific Target Organ toxicity, single exposure Category 3 (respiratory tract irritation)

Hazard Statements

Corrosive. In case of contact with eyes rinse repeatedly with water and call physician. May be

harmful if swallowed.

Precautionary Statements

Prevention During mixing or application avoid contact with eyes and skin. In case of contact with eyes rinse

repeatedly with water and call a physician. Do not breathe dust.

Use personal protective equipment (gloves, boots, goggles, and respirator/mask) when handling

or using this product,

Access our PDS online for more information on the safe and proper use of this product

Response If on skin: Wash with water. If skin irritation or rash occurs: Get medical advice/ attention

If in eyes: Wash eyes immediately and repeatedly with water and seek medical attention.

If ingested: Drink water. Do not induce vomiting and seek immediate medical attention

If inhaled: Remove person immediately to fresh air and ensure comfortable breathing resumes.

Give artificial respiration if needed and seek medical attention.

Storage Store off the ground, on pallets in original unopened packages in a dry, well ventilated areas for

the best life expectancy. Should not be exposed to water, direct sunlight and /or damp conditions

prior to use.



Disposal Dispose of contents/containers in accordance with local/regional/international regulations.

Hazards not otherwise classified (HNOC)

None known.

Supplemental information

Product becomes alkaline when exposed to moisture.

3 - COMPOSITION /INFORMATION ON INGREDIENTS

List of mixture components

Chemical Name	CAS Number	%
Limestone (Calcium Carbonate)	1317-65-3	40-70
Portland Cement	65997-15-1	30-50

Other components below reportable levels

Composition: All concentrations are in percent by weight

4 – FIRST AID MEASURES

Eye Contact:

Flush eyes immediately washing with cool water for a few minutes while holding eyelid open. Remove contact lens if worn and rinse repeatedly with water. If irritation persists, seek medical attention.

Skin Contact:

Remove contaminated clothing if any and wash exposed skin with soap and water immediately. If irritation persists, seek medical attention.

Ingestion:

Harmful if ingested. Do not induce vomiting. Rinse mouth with water. Seek medical attention immediately. **Inhalation:**

If dust concentrations are exceeded remove the person immediately to fresh air. Seek medical attention if distress persists.

Gross Inhalation:

If there is a gross inhalation of dust, remove the person immediately to fresh air. If not breathing, trained personnel should initiate artificial respiration as needed. Obtain immediate medical attention.

5 - FIRE FIGHTING MEASURES

Flash Point: Will not burn except under extreme temperatures.

Extinguishing Media:

Water spray. Water Fog. Carbon dioxide (CO2). Dry Chemical Powder. Foam

Other appropriate fire extinguishing media.

Unsuitable Extinguishing Media: None in particular

Specific hazards arising from the product's chemical composition:

Burning produces heavy smoke.

Hazardous combustion products:

Hazardous combustion products may include Carbon Oxides.

Special protective equipment and precautions for firefighting personnel:

Wear standard fire-fighting gear with suitable self-contained breathing apparatus.

Move undamaged containers or bags from immediate hazard area if it can be safely done.

Explosive properties: No unusual explosion hazards noted.

Oxidising properties: None noted.

6 – ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away, cordon off area if possible. Ensure appropriate PPE and clothing is worn by personnel before and during clean up.

Steps to be taken in case material is released or spilled:



Use Appropriate Respiratory Protection if dry. Use NIOSH/OSHA approved respirator if dust exposure level exceeds the exposure limit.

Use Appropriate Boots and gloves if wet. Do not handle damaged containers or spilled materials unless wearing appropriate protective clothing.

Methods and Materials for containment and clean up.

Spillage when dry:

Limit dust with water spray. Promptly clean by scoop, shovel and/or vacuum if spilled when dry. Provide ventilation.

Spillage when wet:

Contain spill by dykeing with inert absorbent materials to control material flow and if possible, return to batch mix if material is uncontaminated.

If contaminated, place in an appropriate container for waste or disposal. Do not dispose of via drainage pipes, canals, drains or waterways.

Following removal of spilled material, wash area with water.

Refer to State and Local Regulations for handling solid waste.

7 – HANDLING AND STORAGE

Precautions for safe Handling & Use

Use only in applications as stated on the label.

Use appropriate bending and lifting techniques when handling unopened bags.

Ensure bag/container is properly closed after each use.

Avoid skin and eye contact. Always wear appropriate personal protective equipment (PPE) - respirator, gloves, goggles or protective glasses and boots - when moving or using product

Ensure adequate ventilation in work area. Ventilate with fresh air, including opening doors and windows should be observed during any flooring installation.

Operate HVAC systems at 100% fresh air intake before, during and after installation to eliminate lingering odors or particulate matter.

Do not eat, drink or smoke while working. Do not take internally.

Precautions for safe Storage

Store unopened bags on pallets in original packaging in a dry and cool location

Should not be exposed to water, direct sunlight and damp prior to use.

Do not store opened bags.

Conditions for safe Storage, including exposure to Incompatible materials:

Store in secured area, off the ground in well ventilated area. Store away from incompatible materials or chemicals. Contact with powerful oxidising agents may cause fires. (see Section 10 of SDS).

8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION

Control Parameters

List of components with OEL

Component	OEL Type	Respirable fraction mg/m³
Portland Cement	OSHA	15
Limestone	OSHA	10

U.S. OSHA Table Z-1 Limits for air contaminants (29 CFR 1910.1000)

Components	Туре	Value	<u>Form</u>
Portland Cement	PEL	5 mg/m³	Respirable fraction
(CAS 65997-15-1)		15 mg/m³	Total dust
Limestone	PEL	5 mg/m³	Respirable fraction
(CAS 1317-65-3)		15 mg/m³	Total dust



US OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	<u>Form</u>
Portland Cement	TWA	50 mppcf	Respirable fraction
(CAS 65997- 15-1)			

US. NIOSH. Pocket Guide to Chemical Hazards

Components	Туре	Value	<u>Form</u>
Portland Cement	TWA	5mg/m³	Respirable fraction
(CAS 65997- 15-1)		10 mg/m³	Total
Limestone	TWA	5 mg/m³	Respirable fraction
(CAS 1317-65-3)		15 mg/m³	Total dust

US ACGIH Threshold Limit Values

Components	Type	Value	<u>Form</u>
Portland Cement	TWA	1mg/m³	Respirable fraction
(CAS 65997- 15-1)			

Biological limit values: No biological exposure limits noted.

Occupational exposure to nuisance dust (total and respirable) should be monitored and **Exposure Guidelines:**

controlled.

Appropriate Engineering Controls:

Ensure good general ventilation. Use process enclosures, exhaust ventilation and other controls if needed to control airborne contaminants. Ventilation should be adequate to remove and prevent build-up of any dust generated during handling or use.

Individual Protection Measures:

Eye protection: Wear safety glasses or protective goggles that are close fitting to avoid splashed droplets

Protection for hands: Use protective gloves of leather, neoprene or nitrile rubber gloves for hands. Clothing of cotton, denim or rubber that provides comprehensive protection. Protection for skin: Respiratory protection: Use appropriate Occupational Safety & Health approved respirator or dust mask for

adequate protection. e.g. NIOSH approved (30 CFR 11)

Ensure proper ventilation. Open all available windows and entrances to ensure good

ventilation.



Safety Gloves



Safety Goggles



Dust Respirator

General Hygiene: Periodically wash areas contacted by wet or dry cement products. If clothing becomes

soiled with wet or dry cement products, it should be removed and replaced with clean

dry clothing. Wash contaminated clothing as soon as possible.

9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid

Form: Powder- Coarse Textured Powder.

Colour: Various colours.

Odour: General cement like odour.

Odor threshold: Not available. Not Available. Vapor Pressure: Vapour density: Not Available. 11.0 - 13.0pH:



Relative density: 2.5

Melting Point/ Freezing Point: Not Available.

Solubility (in water): Partially soluble

Initial boiling point and boiling range: Not Available

Flash Point: Not Available
Evaporation Rate: Not Available
Flammability (solid/gas): Not Available.

Partition coefficient (n-octanol/water): Not Available.

Auto ignition temperature: Not Available.

Decomposition temperature: Not Available.

Viscosity: Not Available.

Explosive Properties: Non-explosive.

Oxidising properties: Non oxidising.

Solid/gas flammability: Not Available.

VOC: Not applicable

10 - STABILITY AND REACTIVITY

Reactivity:

Stable under normal conditions

Chemical Stability:

Stable under normal conditions

Possibility of Hazardous reactions:

None known.

Conditions to avoid:

Avoid contact with water or moisture. Once bag/container is opened contents should be used as quickly as possible. Close bags after use to prevent the absorption of moisture and/or contaminants.

Incompatibility (materials to avoid):

Avoid contact with strong oxidising agents, powerful acids and strong bases.

Avoid agents such as fluorine, chlorine, tri fluoride and oxygen di-fluoride. Wet cement-based mixtures are alkaline and is not compatible with acids, aluminium or ammonium.

Hazardous decomposition products: None known.

Hazardous Polymerisation: None known

11 – TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLOGICAL EFFECTS

Toxicological information via likely routes of exposure

Inhalation: Dust irritates the respiratory system, may cause coughing, sneezing and difficulty in breathing.

Ingestion: Swallowing may cause gastrointestinal irritation
Skin Contact: Causes skin irritation. May cause allergic reaction.

Eye contact: Causes serious eye irritation.

Symptoms rel. to the physical, chemical and toxicological effects:

Rash, coughing, Irritant effects. Symptoms include stinging, tearing, redness, swelling and blurred vision. Permanent damage to eyes can result if exposure is prolonged.

Acute Toxicity: May cause respiratory irritation.

Skin Corrosion/ Irritation: Yes
Eye damage /irritation: Yes

Respiratory Sensitisation: No data available

Skin Irritation: May cause allergic reaction.

Germ cell mutagenicity: No data available to indicate the product or any component present at greater than 0.1%

are mutagenic or geno toxic.



Carcinogenicity:

This product has the potential to generate respirable dust during handling and use. Overexposure to dust may result in irritation. Occupational exposure to respirable dust should be monitored and controlled. May cause delayed lung injury.

OSHA Specifically Regulated Substances (29 CFR 1810.1001-1050)

Not Regulated

Reproductive toxicity: This product is not expected to cause reproductive or developmental defects

Specific Target Organ toxicity (single exposure): May cause respiratory irritation Specific Target Organ toxicity (repeated exposure): May cause damage to lungs

Aspiration hazard: Not a known aspiration hazard

Chronic Effects: None known.

12 - ECOLOGICAL INFORMATION

Toxicity

Use good working practices and keep good workplace sanitation to minimize /or eliminate the contamination of the environment by the product.

There is no chronic or acute ecological impact when product is used according to directions.

The normal dilution of this product during cleanup with water after use, and which may make its way to drains, sewers or watercourses is generally not considered harmful. Nevertheless, the manufacturer advises this practice should be limited or avoided if possible.

Eco Toxicological information: No data available

List of components with eco-toxicological properties: No data available

Persistence and Degradability: No data available.

Bioaccumulation Potential: No data available.

Soil to Groundwater Contamination: The product is not mobile in soil.

Other Adverse Effects: No other adverse effects including ozone depletion, photochemical ozone depletion,

endocrine disruption or global warming potential is expected.

13 - DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste must be handled in accordance with any and all applicable state, provincial, federal, county and local regulations.

Consult local authorities before disposal of product. Certified disposal agents and methods will need to be approved by relevant authorities. (e.g. Trinidad & Tobago- CEC clearances issued from the EMA to disposal agents is required)

Do not dispose of unused or contaminated product in drains, watercourses and sewer systems.

14 -TRANSPORT INFORMATION

DOTNot classified as dangerous goods.IATANot classified as dangerous goods.IMDGNot classified as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

The IBC Code

Not applicable



15 - REGULATORY INFORMATION

Country Regulations

USA:

US Federal Regulations: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200

TSCA Section 12b Export Notification (40 CFR 707, Substances Control Act – Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) - Not regulated.

CERCLA- Not listed as a hazardous substance (40 CFR 302.4) – Not listed.

Superfund Amendments & Reauthorisation Act of 1986 (SARA):

Hazard Categories: Immediate Hazard- Yes

Delayed Hazard- Yes Fire Hazard- No Pressure Hazard- No Reactivity Hazard- No

SARA 302 Extremely Hazardous Substance - Not listed.

SARA 311/312 Hazardous Chemical – Yes. SARA 313 (TRI reporting) – Not regulated.

Other Federal regulations:

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List – Not regulated.

Clean Air Act (CAA) Section 112 (r) Accidental Release Prevention (40 CFR 68.130) - Not regulated.

Safe Drinking Water Act (SDWA) - Not regulated

USA & Puerto Rico:

Toxic Substances Control Act (TSCA) Inventory - Not listed.

Europe:

European List of Notified Chemical Substances- Not listed.

European Inventory of Existing Commercial Chemical Substances- Listed.

Trinidad & Tobago:

National EMA – Certified as substance requiring Environmental Certification Regulation – Not listed.

Ministry of Health- Pesticides & Toxicological Inspectorate - Not listed.

Summary of abbreviations and acronyms used in the safety data sheet

ACGIH: American Conference of Governmental Industrial Hygienists

IMDG: International Maritime Code for Dangerous Goods

CEC: Certificate of Environmental Clearance **IATA:** International Air Transport Association

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)

EMA: Environmental Management Agency, Trinidad & Tobago

GHS: Globally Harmonised System of Classification and Labeling of Chemicals

OEL: Occupational Exposure Limit

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TLV: Threshold Limit Value

TWATLV: Threshold Limit Value for the Time Weighted Average 8-hour day (ACGIH Standards)

STEL: Short Term Exposure Limit **STOT:** Specific Target Organ Toxicity

15 - OTHER INFORMATION

Issue Date: 03 June 2019
Revision Date: 06 October 2021

Version # 02 HMIS Ratings Health: 2

> Flammability: 0 Physical Hazard: 0



15 - OTHER INFORMATION (cont.)



Disclaimer:

This Safety Data Sheet has been prepared in good faith on the basis of information available at the time of publication. It is intended to provide users with information and guidelines for the safe and proper use of our product. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

Micro Milling Limited assumes no responsibility for personal injury or property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of the product. Further the manufacturer warrants that this product shall be of saleable quality when used in accordance with stated instructions. This product is not warranted as suited for any purpose other than the general use(s) for which it is intended.